

Introduction

This guide includes most hazardous substances, including their current Workplace Exposure Limits at the time of printing (where applicable). For the most up-to-date version of this guide, please visit our website at www.skcinc.com. For a full list of Workplace Exposure Limits, please consult EH40, available from HSE books or www.hse.gov.uk. This guide should not be used as an alternative to obtaining a copy of EH40 and reading the full supplementary data it contains.

The following statements are taken directly from EH40 Workplace Exposure Limits.

Workplace Exposure Limits (WELs)

WELs are British occupational exposure limits and are set in order to help protect the health of workers. WELs are concentrations of hazardous substances in the air, averaged over a specified period of time, referred to as a time-weighted average (TWA). Two time periods are used: long-term (**8 hours**) and short-term (**15 minutes**).

Short-term exposure limits (STELs) are set to help prevent effects such as eye irritation, which may occur following exposure for a few minutes.

WELs and the Control of Substances Hazardous to Health Regulations 2002 (COSHH)

Substances that have been assigned a WEL are subject to the requirements of COSHH. These regulations require employers to prevent or control exposure to hazardous substances. For further information, go to www.hse.gov.uk/coshh. Under COSHH, control is defined as adequate only if a) the

principles of good control practice are applied, b) any WEL is not exceeded, and c) exposure to asthmagens, carcinogens, and mutagens are reduced as low as is reasonably practicable.

The absence of a substance from the list of WELs does not indicate that it is safe. For these substances, exposure should be controlled to a level to which nearly all the working population could be exposed, day after day at work, without any adverse effects on health.

As part of the assessment required under regulation 6 of COSHH, employers should determine their own working practices and in-house standards for control of exposure. In some cases, there may be sufficient information available for employers to set an 'in-house' working standard, e.g., from manufacturers and suppliers of the substances, publications of industry associations, occupational medicine and hygiene journals, and other agencies such as NIOSH and OSHA.

Chemical Hazard	MDHS Method No.	SAMPLING										Analytical Method	SKC Collecting Equipment and Page No.			
		WEL		Vol. (liter)		Rate (ml/min)		Time								
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)							
Acetaldehyde	MDHS 102	20 ppm (37 mg/m ³)	50 ppm (92 mg/m ³)			1000		8	15	HPLC	CF/CST 225-9003 or ST 226-119 or ST 226-120					
Acetaldehyde	MDHS 102	20 ppm (37 mg/m ³)	50 ppm (92 mg/m ³)	diffusive	diffusive	diffusive	diffusive			HPLC	PS 500-100	82				
Acetic acid	MDHS 96			24		50		8		GC-FID	ST 226-01	38				
Acetic anhydride	OSHA 102	0.5 ppm (2.5 mg/m ³)	2 ppm (10 mg/m ³)	7.5	7.5	50	500	2.5	15	GC-NPD	CF/CST 225-9010	63	C/HLD 225-1	106		
Acetic anhydride	OSHA 82	0.5 ppm (2.5 mg/m ³)	2 ppm (10 mg/m ³)	0.75		50		15 min		GC-NPD	CF/CST 225-9009		C/HLD 225-1	106		
Acetone	MDHS 88	500 ppm (1210 mg/m ³)	1500 ppm (3620 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-002	69				
Acetone	MDHS 96	500 ppm (1210 mg/m ³)	1500 ppm (3620 mg/m ³)	2	0.75	20	50	100 min	15	GC-FID	ST 226-01					
Acetonitrile	MDHS 88	40 ppm (68 mg/m ³)	60 ppm (102 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-002	69				
Acetonitrile	MDHS 96	40 ppm (68 mg/m ³)	60 ppm (102 mg/m ³)	10		20 (50)		8 (3.3)		GC-FID	ST 226-09	38				
o-Acetylsalicylic acid	MDHS 14/4	5 mg/m ³		120		2000		8		GR	IOM 225-70A	112	FLT 225-58F	98		
Acrolein (acrylaldehyde)	NIOSH 2501	0.1 ppm (0.23 mg/m ³)	0.3 ppm (0.7 mg/m ³)	24	3	50	200	8	15	GC-NPD	ST 226-118					
Acrolein (acrylaldehyde)	OSHA 52	0.1 ppm (0.23 mg/m ³)		48	3	100	200	8	15	GC-NPD	ST 226-117	40				
Acrylamide	MDHS 57/2	0.3 mg/m ³		50	3	100	200	8	15	HPLC-UV	IMP 225-36-1	65	IT 225-22	65		
Acrylonitrile	MDHS 88	2 ppm (4.4 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-001	69				
Acrylonitrile	MDHS 96	2 ppm (4.4 mg/m ³)		24		50		8		GC-FID	ST 226-01	38				
Allyl alcohol	MDHS 88	2 ppm (4.8 mg/m ³)	4 ppm (9.7 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-002	69				
Allyl alcohol	MDHS 96	2 ppm (4.8 mg/m ³)	4 ppm (9.7 mg/m ³)	10	3	20 (50)	200	8 (3.3)	15	GC-FID	ST 226-01	38				
Aluminium alkyl compounds	OSHA ID-121	2 ppm		960		2000		8		AAS	F/CST 225-3-01	89	C/HLD 225-1	106		
Aluminium metal (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM 225-70A	112	FLT 225-58F	98		
Aluminium metal (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200		8		GR	IOM 225-70A	112	FOAM 225-772 or CYC 225-69	114	FLT 225-58F 98	
Aluminium oxides (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM 225-70A	112	FLT 225-58F 98			
Aluminium oxides (respirable dust)	MDHS 14/4	4 mg/m ³		1056		(2200)		8		GR	IOM 225-70A	112	FOAM 225-772 or CYC 225-69	114	FLT 225-58F 98	
Aluminium salts, soluble	OSHA ID-121	2 mg/m ³		960		2000		8		AA or AES	F/CST 225-3-01	89	C/HLD 225-1	106		
2-Aminoethanol	MDHS 96	1 ppm (2.5 mg/m ³)	3 ppm (7.6 mg/m ³)	10		20		8		GC-FID	ST 226-10-04	38				
Ammonia, anhydrous	NIOSH 6015	25 ppm (18 mg/m ³)	35 ppm (25 mg/m ³)	72	3	150	200	8	15	VAS	ST 226-10-06	38	F/CST 225-3-01	89		
Ammonia, anhydrous	NIOSH 6016	25 ppm (18 mg/m ³)	35 ppm (25 mg/m ³)	48	3	100	200	8	15	IC	ST 226-10-06	38	F/CST 225-3-01	89		
Ammonium chloride (fume)	MDHS 14/4	10 mg/m ³	20 mg/m ³	960	30	2000	2000	8	15	GR, IC-ECN	IOM 225-70A	112	FLT 225-1930	93		
Ammonium sulphamate	MDHS 14/4	10 mg/m ³	20 mg/m ³	960	30	2000	2000	8	15	GR	IOM 225-70A	112	FLT 225-1930	93		
Aniline	MDHS 96	1 ppm (4 mg/m ³)		200		20	200		100	GC-FID	ST 226-10	38				
Antimony & compounds (as Sb)	MDHS 91/2	0.5 mg/m ³				2000		8		XRF	IOM 225-70A	112	FLT 225-1930	88		
p-Aramid respirable fibres	MDHS 87	0.5 fibres/ml		Refer to method						PCM	FLT/CL 225-54A	112	FLT 225-1913	88		
Aromatic carboxylic acid anhydrides (see individual compounds)	MDHS 62/2									HPLC	IOM 225-70A	112	FLT 225-58F	98		
Arsenic & compounds (except arsine) as As	MDHS 91/2	0.1 mg/m ³		240		2000		2		XRF	IOM 225-70A	112	FLT 225-1930	88		

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING										Analytical Method	SKC Collecting Equipment and Page No.			
		WEL		Vol. (liter)		Rate (ml/min)		Time								
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)							
Arsine	NIOSH 6001	0.05 ppm (0.16 mg/m ³)		10	3	20	200	8	15	AA-GF	ST	226-01	38			
Asbestos (chrysotile alone) See HSG 248	MDHS	0.1	240	40	1000	4000	4	10		XRF	FLT/CL	225-54A	112	FLT	225-60F or FLT 225-1913 88	
Asbestos, w/crocidolite/amosite/mixtures See HSG 248	MDHS	0.1	240	40	1000	4000	4	10		XRF	FLT/CL	225-54A	112	FLT	225-60F or FLT 225-1913 88	
Asphalt (petroleum fumes)	NIOSH 5042	5 mg/m ³	10 mg/m ³	360	60	1000	4000	6	15	GR	FLT	225-27-07 F/CST	SP	225-27	225-2LF	
Azodicarbonamide	MDHS 92/2	1 mg/m ³	3 mg/m ³	960	30	2000	2000	8	15	HPLC	IOM	225-79A	112	FLT	225-58F 98	
Barium compounds (soluble) (as Ba)	MDHS 91/2	0.5 mg/m ³		960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930 88	
Barium sulphate (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
Barium sulphate (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200		8		GR	CYC	225-69	114	FLT	225-58F 98	
Benzene	MDHS 72	1 ppm (3.25mg/m ³)		2.5		5		8		TD, GC	ST	226-357	42			
Benzene	MDHS 80	1 ppm (3.25mg/m ³)		24		50		8		GC-ECD	ST	226-357	42			
Benzene	MDHS 88	1 ppm (3.25mg/m ³)			diffusive	diffusive	diffusive			GC-FID	PS	575-001	69			
Benzene	MDHS 96	1 ppm (3.25mg/m ³)		10	3	20	200	8	15	GC-FID	ST	226-01	38			
Benzyl butyl phthalate	MDHS 96	5 mg/m ³		50		10		8		GC-FID	ST	226-35	✓	38		
Benzyl chloride	MDHS 88	0.5 ppm (2.6 mg/m ³)	1.5 ppm (7.9 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69			
Benzyl chloride	MDHS 96	0.5 ppm (2.6 mg/m ³)	1.5 ppm (7.9 mg/m ³)	10	3	20	200	8	15	GC-FID	ST	226-01	38			
Beryllium & compounds (as Be)	MDHS 29/2	0.002 mg/m ³		960	120	2000	2000	8	60	AA	IOM	225-70A	112	FLT	225-1930 88	
Bisphenol A	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
Bornan-2-one	MDHS 88	2 ppm (13 mg/m ³)	3 ppm (19 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-002	69			
Bornan-2-one	MDHS 96	2 ppm (13 mg/m ³)	3 ppm (19 mg/m ³)	10		20(50)		8(3.3)		GC-FID	ST	226-01	38			
Boron tribromide	OSHA CSI		1 ppm (10 mg/m ³)	5		1000		5		IC	IMP	225-36-2	or	IMP	225-36-5 65	
										IT		225-22	65			
Bromacil (ISO)	OSHA CSI	1 ppm (11 mg/m ³)	2 ppm (22 mg/m ³)	50		1000		50		HPLC-UV	IMP	225-36-1	65	IT	225-22 65	
Bromine	NIOSH 6011	0.1 ppm (0.66 mg/m ³)	0.2 ppm (1.3 mg/m ³)	250	15	1000	1000	4	15	IC	CF/CST	225-9006	63	C/HLD	225-1 106	
Bromomethane	OSHA PV2040	5 ppm (20 mg/m ³)	15 ppm (59 mg/m ³)	3		50		1		GC-FID	ST	226-83 §	40			
1,3-Butadiene	MDHS 53/2	10 ppm (22 mg/m ³)		5	7.5	10	500	8	15	GC-FID	ST	900 mg 13X MOLECULAR SIEVE				
1,3-Butadiene	MDHS 80	10 ppm (22 mg/m ³)		24		50		8		GC-ECD	ST	226-358	42			
1,3-Butadiene	MDHS 88	10 ppm (22 mg/m ³)			diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69			
1,3-Butadiene	MDHS 96	10 ppm (22 mg/m ³)		10		20		8		GC-FID	ST	226-09	38			
Butan-1-ol	MDHS 72		50 ppm (154 mg/m ³)	24		50		8		TD, GC	ST	226-358	42			
Butan-1-ol	MDHS 80		50 ppm (154 mg/m ³)	24		50		8		GC-ECD	ST	226-358	42			
Butan-1-ol	MDHS 88		50 ppm (154 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69			
Butan-1-ol	MDHS 96		50 ppm (154 mg/m ³)	10	3	20-50	200	8	15	GC-FID	ST	226-01	38			
Butan-2-ol	MDHS 72	100 ppm (308 mg/m ³)	150 ppm (462 mg/m ³)	24		50		8		TD, GC	ST	226-357	or	ST	226-358 42	
Butan-2-ol	MDHS 88	100 ppm (308 mg/m ³)	150 ppm (462 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-002	69			
Butan-2-ol	MDHS 96	100 ppm (308 mg/m ³)	150 ppm (462 mg/m ³)	10	3	20-50	200	8(3.3)	15	GC-FID	ST	226-01	38			
Butan-2-one (MEK)	MDHS 88	200 ppm (600 mg/m ³)	300 ppm (899 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-002	69			
Butan-2-one (MEK)	MDHS 96	200 ppm (600 mg/m ³)	300 ppm (899 mg/m ³)	10	3	20-50	200	8(3.3)	15	GC-FID	ST	226-81A	39			
Butane	OSHA CSI	600 ppm (1450 mg/m ³)	750 ppm (1810 mg/m ³)	10		20		8		TD, GC	ST	226-01	38			
2-Butoxyethanol	MDHS 72	25 ppm	50 ppm	24		50		8		TD, GC	ST	226-358	42			
2-Butoxyethanol	MDHS 80	25 ppm	50 ppm	24		50		8		GC-ECD	ST	226-358	42			
2-Butoxyethanol acetate	MDHS 88	20 ppm (133 mg/m ³)	50 ppm (332 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	or	PS	575-002 69	
n-Butyl acetate	MDHS 72	150 ppm (724 mg/m ³)	200 ppm (966 mg/m ³)	10	3	20	200	8	15	TD, GC	ST	226-358	38			
n-Butyl acetate	MDHS 80	150 ppm (724 mg/m ³)	200 ppm (966 mg/m ³)	24		50		8		GC-ECD	ST	226-358	42			
n-Butyl acetate	MDHS 88	150 ppm (724 mg/m ³)	200 ppm (966 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69			
n-Butyl acetate	MDHS 96	150 ppm (724 mg/m ³)	200 ppm (966 mg/m ³)	10	3	20	200	8	15	GC-FID	ST	226-01	38			
sec-Butyl acetate	MDHS 88	200 ppm (966 mg/m ³)	250 ppm (1210 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69			
sec-Butyl acetate	MDHS 96	200 ppm (966 mg/m ³)	250 ppm (1210 mg/m ³)	10	0.75	20	50	8	15	GC-FID	ST	226-01	38			
t-Butyl acetate	MDHS 72	200 ppm (966 mg/m ³)	250 ppm (1210 mg/m ³)	10	3	20	200	8	15	TD, GC	ST	226-358	38			
t-Butyl acetate	MDHS 88	200 ppm (966 mg/m ³)	250 ppm (1210 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69			
n-Butyl acrylate	MDHS 88	1 ppm (5 mg/m ³)	5 ppm (26 mg/m ³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-002	69			
Butyl carbitol	OSHA PV2095	10 ppm (67.5 mg/m ³)	15 ppm (101.2 mg/m ³)	10		200			50 min	GC-FID	ST	226-01	38			
n-Butyl chloroformate	ASTM D6209	1 ppm (5.7 mg/m ³)		varies		225		varies		GC-MS	ST	226-131				
Butyl lactate	OSHA PV2080	5 ppm (30 mg/m ³)		10		200		8		GC-FID	ST	226-01	38			
2-sec-Butylphenol	OSHA PV2128	5 ppm (31 mg/m ³)		20		200			100 min	HPLC-UV	ST	226-95	40			
Cadmium & compounds (except oxide fume & sulphide pigments)	MDHS 91/2	0.025 mg/m ³		960	30	2000	2000	8	15	XRF	IOM	225-70A	112	FLT	225-1930 88	
Cadmium oxide fume (as Cd)	MDHS 91/2	0.025 mg/m ³	0.05 mg/m ³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930 88	
Cadmium sulphide & pigments (as Cd)	MDHS 91/2	0.03 mg/m ³		960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930 88	
Caesium hydroxide	MDHS 91/2	2 mg/m ³		960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930 88	
Calcium carbonate (inhalable)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
Calcium carbonate (respirable)	MDHS 14/4	4 mg/m ³		1056		2000 (2200)		8		GR	IOM	225-70A	112	FOAM	225-772 or CYC 225-69 114	
Calcium cyanamide	OSHA ID-121	0.05 mg/m ³	1 mg/m ³	960		2000		8		AA or AES	F/CST	225-3-01	or	F/CST	225-3100 89	
											C/HLD	225-1	106			

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.					
		WEL		Vol. (liter)		Rate (ml/min)		Time								
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)							
Calcium hydroxide	NIOSH 7020	5 mg/m ³		240		1000		4		AA-F	F/CST 225-3-01 or C/HLD 225-1	106	F/CST 225-3100	89		
Calcium oxide	NIOSH 7020	2 mg/m ³		240		1000		4		AA-F	F/CST 225-3-01 or C/HLD 225-1	106	F/CST 225-3100	89		
Calcium silicate (inhalable)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM 225-70A	112	FLT 225-58F	98		
Calcium silicate (respirable)	MDHS 14/4	4 mg/m ³		1056		2000 (2200)		8		GR	IOM 225-70A	112	FOAM 225-772 or CYC 225-69	114	FLT 225-58F	98
Captan (ISO)	MDHS 94/2	5 mg/m ³	15 mg/m ³	240		2000 (500)		8		HPLC-UV	IOM 225-70A	112	FLT 225-58F	98		
Carbon black	MDHS 14/4	3.5 mg/m ³	7 mg/m ³	960		2000		8		GR	IOM 225-70A	112	FLT 225-58F	98		
Carbon dioxide	OSHA ID-172	5000 ppm (9150 mg/m ³)	30000 ppm (54000 mg/m ³)	2-5	2-5	10-50	300	4-8	15	GC	SB 263-Series	or SB	253-Series			
Carbon dioxide (by portable GC)	NIOSH 6603	5000 ppm (9150 mg/m ³)	30000 ppm (54000 mg/m ³)							GC	SB 232-Series					
Carbon disulphide	MDHS 96	5 ppm (15 mg/m ³)		10	3	20 (50)	200	8 (3.3)	15	GC	ST 226-01	or ST	226-44			
Carbon monoxide	OSHA ID-210	30 ppm (35 mg/m ³)	200 ppm (232 mg/m ³)	2-5	2-5	10-50	1000	varies	varies	GC	SB 252-Series	or SB 262-Series	253-Series	or SB	263-Series	
Carbon tetrachloride	MDHS 72	2 ppm (13 mg/m ³)			12		200		60	TD, GC	ST 226-358	38				
Carbon tetrachloride	MDHS 80	2 ppm (13 mg/m ³)		24		50		8		TD, GC	ST 226-358	38				
Carbon tetrachloride	MDHS 88	2 ppm (13 mg/m ³)		diffusive	diffusive	diffusive	diffusive	5	15	GC-FID	ST 575-001	69				
Carbon tetrachloride	MDHS 96	2 ppm (13 mg/m ³)		10		20-50		8		GC-FID	ST 226-01	38				
Cellulose (inhalable dust)	MDHS 14/4	10 mg/m ³	20 mg/m ³	960		2000		8		GR	IOM 225-70A	112	FLT 225-58F	98		
Cellulose (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2000 (2200)		8		GR	IOM 225-70A	112	FOAM 225-772 or CYC 225-69	114	FLT 225-58F	98
Chlorine	NIOSH 6011		0.5 ppm (1.5 mg/m ³)	90	15	1000	1000	1.5	15	IC	CF/CST 225-9006					
Chlorine dioxide	OSHA ID-202	0.1 ppm (0.28 mg/m ³)	0.3 ppm (0.84 mg/m ³)	120	7.5	500	500	4	15	IC-ECN	IMP 225-36-2	or IT 225-22	225-36-5	65		
1-Chloro-2,3-epoxypropane (epichlorohydrin)	MDHS 72, 80	0.5 ppm (1.9 mg/m ³)	1.5 ppm (5.8 mg/m ³)	24		50		8		TD, GC	ST 226-358	42				
1-Chloro-2,3-epoxypropane (epichlorohydrin)	MDHS 88	0.5 ppm (1.9 mg/m ³)	1.5 ppm (5.8 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-002	69				
1-Chloro-2,3-epoxypropane (epichlorohydrin)	MDHS 96	0.5 ppm (1.9 mg/m ³)	1.5 ppm (5.8 mg/m ³)	10		20-50		8		GC-FID	ST 226-01	38				
1-Chloro-4-nitrobenzene	NIOSH 2005	1 mg/m ³	2 mg/m ³	96		200		8		GC-FID	ST 226-10	38				
Chloroacetaldehyde	NIOSH 2015		1 ppm (3.3 mg/m ³)		3		200		15	GC-ECD	ST 226-15GWS	38				
2-Chloroacetophenone	OSHA CSI	0.05 ppm (0.32 mg/m ³)		12		200		1		HPLC-UV	ST 226-47-01	38				
Chlorobenzene	MDHS 72	1 ppm (4.7 mg/m ³)	3 ppm (14 mg/m ³)	10		20(50)		8(3.3)		TD, GC	ST 226-358	38				
Chlorobenzene	MDHS 88	1 ppm (4.7 mg/m ³)	3 ppm (14 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-001	69				
Chlorobenzene	MDHS 96	1 ppm (4.7 mg/m ³)	3 ppm (14 mg/m ³)	10		20(50)		8(3.3)		GC-FID	ST 226-01	38				
Chlorodifluoromethane	MDHS 96	1000 ppm (3590 mg/m ³)		varies		varies		varies		GC-FID	ST 226-01	38				
Chloroethane	MDHS 96	50 ppm (134 mg/m ³)		3		50		1		GC-FID	ST 226-09	38				
2-Chloroethanol	MDHS 96		1 ppm (3.4 mg/m ³)	10	3	20(50)	200	8(3.3)	15	GC-FID	ST 226-81A	39				
Chloroform	MDHS 80	2 ppm (9.9 mg/m ³)		24		50		8		GC-ECD	ST 226-357	42				
Chloroform	MDHS 88	2 ppm (9.9 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-001	69				
Chloroform	MDHS 96	2 ppm (9.9 mg/m ³)		10		200		8		GC-FID	ST 226-01	38				
Chloromethane	MDHS 96	50 ppm (105 mg/m ³)	100 ppm (210 mg/m ³)		0.5		100		5	GC-FID	ST 226-09	or IT 226-01	226-01	38		
bis-Chloromethyl ether	OSHA 10	0.001 ppm (0.005 mg/m ³)		50		500		100 min		GC-ECD	IMP 225-36-2	65	IT 225-22	65		
Chloropyrifos (ISO)	MDHS 94/2	0.2 mg/m ³	0.6 mg/m ³	240		500		8		HPLC-UV	IOM ST 226-35	112	FLT 225-58F	98		
Chromium (VI) in chromium plating mist	MDHS 52/4	0.05 mg/m ³		960	120	2000	2000	8	60	CLR	Chromic acid test kit FLT	225-9026				
Chromium & inorganic compounds	MDHS 91/2	0.5 mg/m ³		960		2000		8		XRF	IOM 225-70A	112	FLT 225-1930	88		
Chromium II & III compounds (as Cr)	MDHS 91/2	0.5 mg/m ³		960		2000		8		XRF	IOM 225-70A	112	FLT 225-1930	88		
Chromium VI compounds (as Cr)	MDHS 52/4	0.05 mg/m ³		240	30	2000	2000	2	15	CLR	IOM 225-70A	112	FLT 225-9026			
Cobalt & cobalt compounds (as Co)	MDHS 91/2	0.1 mg/m ³		240		2000		2		XRF	IOM 225-70A	112	FLT 225-1930	88		
Colophony	MDHS 83/3			960	30	2000	2000	8	15	GC-FID	CST 225-8050K (kit)					
Copper dust & mists (as Cu)	MDHS 91/2	1 mg/m ³	2 mg/m ³	960		2000		8		XRF	IOM 225-70A	112	FLT 225-1930	88		
Copper fume	MDHS 91/2	0.2 mg/m ³		960		2000		8		XRF	IOM 225-70A	112	FLT 225-1930	88		
Cotton dust	MDHS 14/4	2.5 mg/m ³		960		2000		8		GR	IOM 225-70A	112	FLT 225-58F	98		
Cryofluorane (INN)	MDHS 96	1000 ppm (7110 mg/m ³)	1250 ppm (8890 mg/m ³)	3		20		2.5		GC-FID	ST 226-01	or ST 226-09	38			
Cumene	MDHS 72, 80	25 ppm (125 mg/m ³)	50 ppm (250 mg/m ³)	24		50		8		TD, GC	ST 226-358	42				
Cumene	MDHS 88	25 ppm (125 mg/m ³)	50 ppm (250 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-001	69				
Cumene	MDHS 96	25 ppm (125 mg/m ³)	50 ppm (250 mg/m ³)	10		20	50	8	15	GC-FID	ST 226-01	38				
Cyanamide	OSHA CSI	0.58 ppm (1 mg/m ³)		10		100		100 mins		HPLC-UV	ST 226-30-18	38				
Cyanides (except HCN, cyanogen & cyanogen chloride)	NIOSH 7904	5 mg/m ³		120		500		4		ISE	FLT 225-2705	94	CST 225-2LF	99		
Cyanogen chloride	OSHA CSI		0.3 ppm (0.77 mg/m ³)	1		200		5		GC-NPD	ST 226-117	40				
Cyclohexane	MDHS 88	100 ppm (350 mg/m ³)	300 ppm (1050 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS 575-001	69				
Cyclohexane	MDHS 96	100 ppm (350 mg/m ³)	300 ppm (1050 mg/m ³)	10		20		8		GC-FID	ST 226-01	38				

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.						
		WEL		Vol. (liter)		Rate (ml/min)		Time									
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)								
Cyclohexanol	MDHS 88	50 ppm (208 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Cyclohexanol	MDHS 96	50 ppm (208 mg/m ³)		10		20-50		8(3.3)		GC-FID	ST	226-01	38				
Cyclohexanone	MDHS 88	10 ppm (41 mg/m ³)	20 ppm (82 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Cyclohexanone	MDHS 96	10 ppm (41 mg/m ³)	20 ppm (82 mg/m ³)	10		20	50	8	15	GC-FID	ST	226-01	38				
Cyclohexylamine	OSHA PV2016	10 ppm (41 mg/m ³)		20		200		100 mins		GC-FID	ST	226-98	40				
2,4-D (ISO)	NIOSH 5602	10 mg/m ³		20 mg/m ³	480	1000		8		GC-ECD	ST	226-58	39				
6,6'-Di-tert-butyl-4,4'-thiodi-m-cresol	OSHA CSI	10 mg/m ³	20 mg/m ³	varies		varies		varies		HPLC-UV	F/CST FLT	225-706 225-7	or CYC 225-69-35				
2,6-Di-tert-butyl-p-cresol	OSHA PV2108	10 mg/m ³		100		1000		100 mins		GC-FID	ST	226-57	39				
Dialkyl phthalate C7-C9	OSHA 104	5 mg/m ³		240		1000		4		GC-FID	ST	226-56	39				
Diallyl phthalate	OSHA CSI	5 mg/m ³		60		1000		1		GC-FID	ST	226-30-16	38				
Diatomaceous earth (natural respirable dust)	MDHS 14/4	1.2 mg/m ³		960 (1056)		2000 (2200)		8		GR	IOM CYC	225-70A 225-69	112 FOAM 225-772 or 114 FLT 225-58F 98				
Dibenzoyl peroxide	NIOSH 5009	5 mg/m ³		90		1500		1		HPLC-UV	F/CST	225-3-01					
Dibismuth tritelluride	MDHS 91/2	10 mg/m ³	20 mg/m ³	960		2000		8		XRF	IOM	225-70A	112 FLT 225-1930 88				
Diboron trioxide	MDHS 14/4	10 mg/m ³	20 mg/m ³	960 (1056)		2000 (2200)		8		GR	IOM CYC	225-70A 225-69	112 FOAM 225-772 or 114 FLT 225-58F 98				
1,2-Dibromoethane	MDHS 88	0.5 ppm (3.9 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
1,2-Dibromoethane	MDHS 96	0.5 ppm (3.9 mg/m ³)		10	3	20	200	8	15	GC-ECD	ST	226-01	38				
Dimethyl hydrogen phosphate	NIOSH 5017	1 ppm (8.7 mg/m ³)	2 ppm (17 mg/m ³)	240		2000		2		GC-FPD	FLT C/HLD	225-17-01 225-1	94 CST 225-2LF 99				
Dimethyl phthalate	OSHA 104	5 mg/m ³		240		1000		4		GC-FID	ST	226-56	38				
2,2-Dichloro-4,4'-methylene dianiline (MbOCA)	MDHS 75/2	0.005 mg/m ³			200		2000		each 100 min	HPLC	IOM	225-70A	112 FLT 225-58F 98				
2,2'-Dichloro-4,4'-methylene dianiline (MbOCA)	MDHS 75/2	0.005 mg/m ³		100		1000		100 mins		GC-ECD	CF/CST	225-9004	63 C/HLD 225-1 106				
1,3-Dichloro-5,5-dimethylhydantion			0.2 mg/m ³		0.4 mg/m ³												
Dichloroacetylene	OSHA CSI		0.1 ppm (0.39 mg/m ³)		1		200		5	GC-FID	ST	226-01	38				
1,2-Dichlorobenzene (ortho-dichlorobenzene)	MDHS 88	25 ppm (153 mg/m ³)	50 ppm (306 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
1,2-Dichlorobenzene (ortho-dichlorobenzene)	MDHS 96	25 ppm (153 mg/m ³)	50 ppm (306 mg/m ³)	10	3	20	200	8	15	GC-FID	ST	226-01	38				
1,4-Dichlorobenzene (para-dichlorobenzene)	MDHS 88	25 ppm (153 mg/m ³)	50 ppm (306 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
1,4-Dichlorobenzene (para-dichlorobenzene)	MDHS 96	25 ppm (153 mg/m ³)	50 ppm (306 mg/m ³)	3		20		2.5		GC-FID	ST	226-01	38				
1,1-Dichloroethane	MDHS 96	100 ppm		10	3	200	200	8	15	GC-FID	ST	226-01	38				
1,2-Dichloroethane (ethylene dichloride)	MDHS 72, 80	5 ppm (21 mg/m ³)		24		50		8		TD, GC	ST	226-358	42				
1,2-Dichloroethane (ethylene dichloride)	MDHS 88	5 ppm (21 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
1,2-Dichloroethane (ethylene dichloride)	MDHS 96	5 ppm (21 mg/m ³)		10	3	20	200	8	15	GC-FID	ST	226-01	38				
1,2-Dichloroethylene cis:trans isomers 60:40	MDHS 88	200 ppm (806 mg/m ³)	250 ppm (1010 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
1,2-Dichloroethylene cis:trans isomers 60:40	MDHS 96	200 ppm (806 mg/m ³)	250 ppm (1010 mg/m ³)	5		50		100 mins		GC-FID	ST	226-01	38				
Dichlorofluoromethane	MDHS 96	10 ppm (43 mg/m ³)			3		20		2.5	GC-FID	ST	226-01	38				
Dichloromethane	MDHS 72, 80	100 ppm (350 mg/m ³)	300 ppm (1060 mg/m ³)	24		50		8		TD, GC	ST	226-358	42				
Dichloromethane	MDHS 88	100 ppm (350 mg/m ³)	300 ppm (1060 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Dichloromethane	MDHS 96	100 ppm (350 mg/m ³)	300 ppm (1060 mg/m ³)	2	1.5	20	100	1.6	15	GC-FID	ST	226-01	38				
Dicylopentadiene	MDHS 88	5 ppm (27 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Diethyl ether	MDHS 88	100 ppm (310 mg/m ³)	200 ppm (620 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Diethyl ether	MDHS 96	100 ppm (310 mg/m ³)	200 ppm (620 mg/m ³)	3		20		2.5		GC-FID	ST	226-01	38				
Diethyl phthalate	OSHA 104			240		1000		4		GC-FID	ST	226-56	38				
Diethyl sulphate	MDHS 89	0.05 ppm (0.32 mg/m ³)								GC-MS	ST	226-357	42				
Diethylamine	MDHS 96	5 ppm (15 mg/m ³)	10 ppm (30 mg/m ³)	24	3	50	200	8	15	GC-FID	ST	226-10	38				
Dihydrogen selenide (as Se)	OSHA CSI	0.02 ppm (0.07 mg/m ³)	0.05 ppm (0.17 mg/m ³)	480		1000		8		AA	IMP IT	225-36-2 225-22	65				
Diisopropyl ether	MDHS 88	250 ppm (1060 mg/m ³)	310 ppm (1310 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Diisopropyl ether	MDHS 96	250 ppm (1060 mg/m ³)	310 ppm (1310 mg/m ³)	3		20		2.5		GC-FID	ST	226-01	38				
Diisopropylamine	OSHA CSI	5 ppm (21 mg/m ³)			120		1000		1	GC-ECD	IMP IT	225-36-2 225-22	65				
Dimethoxymethane	MDHS 88	1000 ppm (3160 mg/m ³)	1250 ppm (3950 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Dimethoxymethane	MDHS 96	1000 ppm (3160 mg/m ³)	1250 ppm (3950 mg/m ³)	2		20		1.5		GC-FID	ST	226-01	38				
Dimethyl ether		400 ppm (766 mg/m ³)	500 ppm (958 mg/m ³)							CLR	DT	810-161					
Dimethyl phthalate	OSHA 104	5 mg/m ³		240		1000		4		GC-FID	ST	226-56	38				
Dimethyl phthalate	OSHA 104	5 mg/m ³	10 mg/m ³	240		1000		4		GC-FID	ST	226-56	39				
Dimethyl sulphate	MDHS 89	0.05 ppm (0.32 mg/m ³)								GC-MS	ST	226-357	42				
Dimethyl sulphate	MDHS 96	0.05 ppm (0.26 mg/m ³)			12		50		4	GC-ECN	ST	226-114	40				
N,N-Dimethylacetamide	MDHS 96	10 ppm (36 mg/m ³)	20 ppm (72 mg/m ³)	48		100		8		GC-FID	ST	226-10	38				
Dimethylamine	MDHS 96	2 ppm (3.8 mg/m ³)	6 ppm (11 mg/m ³)							GC-FID	ST	226-10	38				
2-Dimethylaminoethanol	OSHA CSI	2 ppm (7.4 mg/m ³)	6 ppm (22 mg/m ³)	24		200		8		GC-FID	ST	226-10-04	38				
N,N-Dimethylaniline	MDHS 88	5 ppm (25 mg/m ³)	10 ppm (50 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
N,N-Dimethylaniline	MDHS 96	5 ppm (25 mg/m ³)	10 ppm (50 mg/m ³)	24	3	50	200	8	15	GC-FID	ST	226-10	38				
N,N-Dimethylethylamine	OSHA PV2096	10 ppm (30 mg/m ³)	15 ppm (46 mg/m ³)	40		100		40 min		GC-NPD	ST	226-18	38				
Dimethylformamide	MDHS 88	5 ppm (15 mg/m ³)	10 ppm (30 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
2,6-Dimethylheptan-4-one	MDHS 88	25 ppm (148 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				

See page 212 for abbreviations.

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.						
		WEL		Vol. (liter)		Rate (ml/min)		Time									
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)								
2,6-Dimethylheptan-4-one	MDHS 96	25 ppm (148 mg/m³)		10		20(50)		8(3.3)		GC-FID	ST	226-01	38				
Dinitrobenzene (all isomers)	OSHA CSI	0.15 ppm (1 mg/m³)	0.5 ppm (3.5 mg/m³)	60		1000		1		HPLC-UV	ST	226-30-16	38				
1,4-Dioxane	MDHS 88	20 ppm (73 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
1,4-Dioxane	MDHS 96	20 ppm (73 mg/m³)		10		20		8		GC-FID	ST	226-01	38				
Diphenyl ether (vapour)	MDHS 88	1 ppm (7.1 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Diphenyl ether (vapour)	MDHS 96	1 ppm (7.1 mg/m³)		30		100		5		GC-FID	ST	226-35-01	38				
Diphenylamine	OSHA 78	10 mg/m³	20 mg/m³	100		1000		100 mins		HPLC-UV	CF/CST	225-9004	63 C/HLD 225-1 106				
Diphosphorus pentasulphide	OSHA ID-128SG	1 mg/m³	2 mg/m³	960	30	2000	2000	8	15	IC	F/CST	225-802	93 C/HLD 225-1 106				
Diphosphorus pentoxide	OSHA ID-111	1 mg/m³	2 mg/m³	480		1000		8		IC	F/CST	225-3-01	C/HLD 225-1 106				
Dipropylene glycol methyl ether	MDHS 72	50 ppm (308 mg/m³)		24		50		8		TD, GC	ST	226-357	or ST 226-358 42				
Dipropylene glycol methyl ether	MDHS 88	50 ppm (308 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Diquat dibromide (ISO)	OSHA CSI	0.5 mg/m³	1 mg/m³	120		1000		8		HPLC/UV	IOM	225-70A	112 FLT 225-58F 98				
Disodium disulphite	OSHA ID-121	5 mg/m³		960		2000		8		AA or AES	F/CST	225-3-01	89 C/HLD 225-1 106				
Disodium tetraborate (anhydrous)	OSHA ID-125G	1 mg/m³		480		2000		4		ICP-AES	F/CST	225-3-01	or F/CST 225-3100 C/HLD 225-1 106				
Disodium tetraborate (decahydrate)	OSHA ID-125G	5 mg/m³		480		2000		4		ICP-AES	F/CST	225-3-01	or F/CST 225-3100				
Disodium tetraborate (pentahydrate)	OSHA ID-125G	1 mg/m³		480		2000		4		ICP-AES	F/CST	225-3-01	or F/CST 225-3100 C/HLD 225-1 106				
Disulphur dichloride	OSHA CSI		1 ppm (5.6 mg/m³)	480		1000		8		CLR	IMP	225-36-2	65 IT 225-22 65				
Diuron (ISO)	NIOSH 5601	10 mg/m³		240		1000		4		HPLC-UV	ST	226-58	or ST 226-30-16 38				
Dusts (inhalable)	MDHS 14/4			960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Dusts (respirable)	MDHS 14/4			1056		2000	(2200)	8		GR	IOM	225-70A	112 FLT 225-58F 98				
Ethoxyethane (ISO)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Emery (inhalable dust)	MDHS 14/4	4 mg/m³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772 FLT 225-58F 98				
Endosulfan (ISO)	MDHS 94/2	0.1 mg/m³	0.3 mg/m³	240		500		8		HPLC-UV	IOM	225-70A	112 FLT 225-58F 98				
Enflurane	MDHS 80	50 ppm (383 mg/m³)		24		50		8		GC-ECD	ST	226-357	42				
Enflurane	MDHS 88	50 ppm (383 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Ethane-1,2-diol (particulate)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Ethane-1,2-diol (vapour)	MDHS 88	20 ppm (52 mg/m³)	40 ppm (104 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Ethanethiol	NIOSH 2542	0.5 ppm (1.3 mg/m³)	2 ppm (5.2 mg/m³)	48	12	100	200	8	60	GC-FPD	F/CST	225-9007					
Ethanol	MDHS 72	1000 ppm (1920 mg/m³)		24		50		8		TD, GC	ST	226-358	42				
Ethanol	MDHS 88	1000 ppm (1920 mg/m³)		diffusive	diffusive	diffusive	diffusive	8	15	GC-FID	PS	575-002	69				
Ethanol	MDHS 96	1000 ppm (1920 mg/m³)		1		50		20 mins		GC-FID	ST	226-01	38				
2-(Methoxyethoxy) ethanol	OSHA CSI	10 ppm (50.1 mg/m³)		6		100		1		GC-FID	ST	226-01	38				
2-Ethoxyethanol	MDHS 72	2 ppm (8 mg/m³)		24		50		8		TD, GC	ST	226-357	42				
2-Ethoxyethanol	MDHS 80	2 ppm (8 mg/m³)		24		50		8		GC-ECD	ST	226-357	42				
2-Ethoxyethanol	MDHS 88	2 ppm (8 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
2-Ethoxyethanol	MDHS 96	2 ppm (8 mg/m³)		5		20		4		GC-FID	ST	226-01	38				
2-Ethoxyethyl acetate	MDHS 72	2 ppm (11 mg/m³)		24		50		8		TD, GC	ST	226-357	42				
2-Ethoxyethyl acetate	MDHS 80	2 ppm (11 mg/m³)		24		50		8		GC-ECD	ST	226-357	or ST 226-358 42				
2-Ethoxyethyl acetate	MDHS 88	2 ppm (11 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Ethyl acetate	MDHS 72, 80	200 ppm	400 ppm	24		50		8		TD, GC	ST	226-357	or ST 226-358 42				
Ethyl acetate	MDHS 88	200 ppm	400 ppm	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Ethyl acetate	MDHS 96	200 ppm	400 ppm	10		20		8		GC-FID	ST	226-01	38				
Ethyl acrylate	MDHS 72	5 ppm (21 mg/m³)	10 ppm (42 mg/m³)	24		50		8		TD, GC	ST	226-357	42				
Ethyl acrylate	MDHS 88	5 ppm (21 mg/m³)	10 ppm (42 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Ethyl acrylate	MDHS 96	5 ppm (21 mg/m³)	10 ppm (42 mg/m³)	10		20		8		GC-FID	ST	226-01	38				
Ethyl benzene	MDHS 72	100 ppm (441 mg/m³)	125 ppm (552 mg/m³)	24		50		8		TD, GC	ST	226-357	42				
Ethyl benzene	MDHS 80	100 ppm (441 mg/m³)	125 ppm (552 mg/m³)	24		50		8		GC-ECD	ST	226-357	42				
Ethyl benzene	MDHS 88	100 ppm (441 mg/m³)	125 ppm (552 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Ethyl benzene	MDHS 96	100 ppm (441 mg/m³)	125 ppm (552 mg/m³)	12		50		4		GC-FID	ST	226-01	38				
Ethyl cyanoacrylate	OSHA 55	0.3 ppm (1.5 mg/m³)	12			100		2		HPLC-UV	ST	226-98	40				
Ethyl formate	MDHS 96	100 ppm (308 mg/m³)	150 ppm (462 mg/m³)	10		20		8		GC-FID	ST	226-01	38				
Ethylamine	OSHA 36	2 ppm (3.8 mg/m³)	6 ppm (11 mg/m³)	10		200		50 mins		HPLC-UV	ST	226-96	40				
Ethylene oxide	MDHS 88	5 ppm (9.2 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-005	69				
Ethylene oxide	MDHS 96	5 ppm (9.2 mg/m³)								GC-FID	ST	226-01	38				
Ethylenediamine	NIOSH 2540	1 ppm (4.3 mg/m³)		10		100		1.7		HPLC-UV	ST	226-30-18	38				
2-Ethylhexyl chloroformate			1 ppm (8 mg/m³)														
bis-2-Ethylhexyl phthalate (diethyl phthalate)	MDHS 96	5 mg/m³	10 mg/m³	50		10		8		GC-FID	ST	226-36 ¶	39				
bis-2-Ethylhexyl phthalate (diethyl phthalate)	OSHA 104	5 mg/m³		240		1000		4		GC-FID	ST	226-56	38				
4-Ethylmorpholine	OSHA CSI	5 ppm (24 mg/m³)	20 ppm (96 mg/m³)	10		20		8		GC-FID	ST	226-10	38				
Ferrous foundry particulate (inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Ferrous foundry particulate (respirable)	MDHS 14/4	4 mg/m³		1056		2200	(2000)	8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772 FLT 225-58F				

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING										Analytical Method	SKC Collecting Equipment and Page No.		
		WEL		Vol. (liter)		Rate (ml/min)		Time							
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)						
Flour dust	MDHS 14/4	10 mg/m ³	30 mg/m ³			2000	2000	8	15	GR	IOM	225-70A	112 FLT 225-58F 98		
Fluoride (inorganic as F)	MDHS 35/2	2.5 mg/m ³		960	30	2000	2000	8	15	IC	IOM	225-70A	112 FLT 225-1930 88		
Fluorine	OSHA CSI	1 ppm (1.6 mg/m ³)	1 ppm (1.6 mg/m ³)	480		1000		8		CLR	IMP	225-36-2 or IT	IMP 225-36-5 65 225-22 65		
Formaldehyde	MDHS 102	2 ppm (2.5 mg/m ³)	2 ppm (2.5 mg/m ³)	varies		varies		varies		HPLC	CF/CST	225-9003 or ST	226-119 or 226-120		
Formamide	OSHA CSI	20 ppm (37 mg/m ³)	30 ppm (56 mg/m ³)	10	1.5	100	100	100 mins	100 mins	GC-NPD	ST	226-10	38		
Formic acid	NIOSH 2011	5 ppm (9.6 mg/m ³)		24		200		2		IC-ECN	FLT	225-2708 ST	94 CST 225-325LF 99 226-10-03 38 C/HLD 225-1 106		
2-Furaldehyde (furfural)	MDHS 72	2 ppm (8 mg/m ³)	5 ppm (20 mg/m ³)	24		50		8		TD, GC	ST	226-357	42		
2-Furaldehyde (furfural)	NIOSH 2529	5 ppm (20 mg/m ³)		5		20		4		GC-FID	ST	226-118	40		
2-Furaldehyde (furfural)	OSHA 72	5 ppm (20 mg/m ³)		180		1000		3		TD, GC	ST	226-81A	40		
Glutaraldehyde	MDHS 102	0.05 ppm (0.2 mg/m ³)	0.05 ppm (0.2 mg/m ³)	varies		varies		varies		HPLC	CF/CST	225-9003 or ST	226-119 or 226-120		
Glutaraldehyde	MDHS 102	0.05 ppm (0.2 mg/m ³)	0.05 ppm (0.2 mg/m ³)	diffusive	diffusive	diffusive	diffusive			HPLC	PS	500-100	82		
Glycerol mist	NIOSH 0600	10 mg/m ³		375		2500		2.5		GR	CYC	225-01-02	115 FLT 225-537-P 93		
Grain dust	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98		
Graphite (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98		
Graphite (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or		
										IOM	225-70A	112 FOAM	225-772		
Gypsum (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98		
Gypsum (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or		
										IOM	225-70A	112 FOAM	225-772		
Halogeno platinum compounds as Pt	MDHS 91/2	0.002 mg/m ³		30		50		8		AAS	IOM	225-70A	112 FLT 225-1930 88		
Halothane	MDHS 80	10 ppm (82 mg/m ³)		24		50		8		GC-ECD	ST	226-357	or ST 226-358 42		
Halothane	MDHS 88	10 ppm (82 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69		
Hardwood dust	MDHS 14/4	5 mg/m ³								GR	IOM	225-70A	112 FLT 225-58F 98		
Heptan-2-one	MDHS 88	50 ppm (237 mg/m ³)	100 ppm (475 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69		
Heptan-2-one	MDHS 96	50 ppm (237 mg/m ³)	100 ppm (475 mg/m ³)							GC-FID	ST	226-01	38		
Heptan-3-one	MDHS 88	35 ppm (166 mg/m ³)	100 ppm (475 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	or PS 575-002 69		
Heptan-3-one	MDHS 96	35 ppm (166 mg/m ³)	100 ppm (475 mg/m ³)							GC-FID	ST	226-01	38		
n-Heptane	MDHS 72, 80	500 ppm (2085 mg/m ³)								TD, GC	ST	226-357	42		
n-Heptane	MDHS 88	500 ppm (2085 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69		
n-Heptane	MDHS 96	500 ppm (2085 mg/m ³)								GC-FID	ST	226-01	38		
Hexan-2-one	MDHS 88	5 ppm (21 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69		
Hexan-2-one	MDHS 96	5 ppm (21 mg/m ³)		10		20		8		GC-FID	ST	226-01	38		
n-Hexane	MDHS 72	20 ppm (72 mg/m ³)		24		50		8		TD, GC	ST	226-357	42		
n-Hexane	MDHS 80	20 ppm (72 mg/m ³)		24		50		8		GC-ECD	ST	226-358	42		
n-Hexane	MDHS 88	20 ppm (72 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69		
n-Hexane	MDHS 96	20 ppm (72 mg/m ³)		4		20		3.3		GC-FID	ST	226-01	38		
1,6-Hexanolactam (dust & vapour)	OSHA PV2012	10 mg/m ³	20 mg/m ³	100	15	1000	1000	8	15	HPLC-UV	ST	226-57	39		
1,6-Hexanolactam (dust only)	MDHS 14/4	1 mg/m ³	3 mg/m ³	1056		2000 (2200)		8		GR	IOM	225-70A	112 FOAM 225-772 or CYC 225-69 114 FLT 225-58F 98		
Hydrazine	MDHS 86/2	0.02 ppm (0.03 mg/m ³)	0.1 ppm (0.13 mg/m ³)	240		1000		4		IC-UV	CF/CST	225-9012	63 C/HLD 225-1 106		
Hydrogen bromide	OSHA ID-165SG	3 ppm (10 mg/m ³)	48	4.5	200	300	4	15		IC	ST	226-10-03	38		
Hydrogen chloride (gas & aerosol mists)	OSHA ID-174SG	1 ppm (2 mg/m ³)	5 ppm (8 mg/m ³)	48	4.5	200	300	4	15	IC	ST	226-10-03	38		
Hydrogen cyanide	MDHS 56/3		10 ppm (11 mg/m ³)	40	15	200	1000	3	15	ISE	IMP	225-36-2	65 IT 225-22 65 IOM 225-70A 112 FLT 225-1930E 88		
Hydrogen fluoride (as F)	MDHS 35/2	1.8 ppm (1.5 mg/m ³)	3 ppm (2.5 mg/m ³)		30		2000		15	ISE	IOM	225-70A	112 FLT 225-1930† 88		
Hydrogen peroxide	OSHA ID-126SG	1 ppm (1.4 mg/m ³)	2 ppm (2.8 mg/m ³)	100		1000		100 mins		DPP	IMP	225-36-2 or IT	225-36-5 65 225-22 65		
Hydrogen sulphide	OSHA 1008	5 ppm (7 mg/m ³)	10 ppm (14 mg/m ³)							IC	ST	226-177			
Hydroquinone	MDHS 98/3	0.5 mg/m ³			30		2000		15	HPLC-UV	IOM ST	225-70A 112 FLT 225-58F 98 226-35-03 39			
4-Hydroxy-4-methylpentan-2-one	MDHS 88	50 ppm (241 mg/m ³)	75 ppm (362 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69		
4-Hydroxy-4-methylpentan-2-one	MDHS 96	50 ppm (241 mg/m ³)	75 ppm (362 mg/m ³)	10		20		8		GC-FID	ST	226-01	38		
2-Hydroxypropyl acrylate	OSHA PV2078	0.5 ppm (2.7 mg/m ³)			10		100		100 mins	GC-FID	ST	226-73	39		
Indene	OSHA CSI	10 ppm (48 mg/m ³)	15 ppm (72 mg/m ³)	10		20		8		GC-FID	ST	226-110	40		
Indium & compounds (as In)	MDHS 91/2	0.1 mg/m ³	0.3 mg/m ³	960		2000		8		XRF	IOM	225-70A	112 FLT 225-1930 88		
Iodine	NIOSH 6005		0.1 ppm (1.1 mg/m ³)	15		1000		15		IC	ST	226-67	39		
Iodoform	OSHA CSI	0.6 ppm (9.8 mg/m ³)	1 ppm (16 mg/m ³)	10		100		100 mins		GC-ECD	F/CST ST	225-706 98 226-93 40			
Iodomethane	MDHS 88	2 ppm (12 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69		
Iodomethane	MDHS 96	2 ppm (12 mg/m ³)		10		20		8		GC-FID	ST	226-01	38		
Iron oxide (fume) (as Fe)	MDHS 91/2	5 mg/m ³	10 mg/m ³	960		2000		8		XRF	IOM	225-70A	112 FLT 225-1930 88		
Iron salts (as Fe)	MDHS 91/2	1 mg/m ³	2 mg/m ³	960		2000		8		XRF	IOM	225-70A	112 FLT 225-1930 88		
Isobutyl acetate	MDHS 72	150 ppm (724 mg/m ³)	187 ppm (903 mg/m ³)	24		50		8		TD, GC	ST	226-357	42		

See page 212 for abbreviations.

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.						
		WEL		Vol. (liter)		Rate (ml/min)		Time									
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)								
Isobutyl acetate	MDHS 88	150 ppm (724 mg/m³)	187 ppm (903 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Isobutyl acetate	MDHS 96	150 ppm (724 mg/m³)	187 ppm (903 mg/m³)	10		20		8		GC-FID	ST	226-01	38				
Isocyanates (all) (as -NCO)	MDHS 25/4	0.02 mg/m³	0.07 mg/m³	960		2000		8		HPLC	IOM	225-79A	112 FLT 225-9011 63				
Isofurane	MDHS 80	50 ppm (383 mg/m³)			24	50		8		GC-ECD	ST	226-357	42				
Isofurane	MDHS 88	50 ppm (383 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Isooctyl alcohol (mixed isomers)	MDHS 88	50 ppm (271 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Isopentane	MDHS 88	600 ppm (1800 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Isopentane	MDHS 96	600 ppm (1800 mg/m³)		varies		varies		varies		GC-FID	ST	226-01	38				
Isopropyl acetate	MDHS 72		200 ppm (849 mg/m³)	24		50		8		TD, GC	ST	226-357	42				
Isopropyl acetate	MDHS 88		200 ppm (849 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
Isopropyl acetate	MDHS 96		200 ppm (849 mg/m³)	9		50		3		GC-FID	ST	226-01	38				
Isopropyl chloroformate			1 ppm (5.1 mg/m³)														
Kaolin (respirable dust)	MDHS 14/4	2 mg/m³		1056		varies		8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772				
Ketene	OSHA CSI	0.5 ppm (0.87 mg/m³)	1.5 ppm (2.6 mg/m³)	50	15	1000	1000	50 mins	15	CLR	IMP	225-36-2 or IT 225-22	225-36-5 65				
Lead & inorganic compounds	MDHS 91/2			960	30	2000	2000	8	15	XRF	IOM	225-70A	112 FLT 225-1930 88				
Limestone (inhalable dust)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Limestone (respirable dust)	MDHS 14/4	4 mg/m³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772				
Liquified petroleum gas	OSHA CSI	1000 ppm (1750 mg/m³)	1250 ppm (2180 mg/m³)							DET TB	DT	810-100A					
Lithium hydride	MDHS 14/4	0.025 mg/m³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772				
Lithium hydroxide	OSHA ID-121		1 mg/m³	960		2000		8		AA or AES	F/CST	225-3-01	89 C/HLD 225-1 106				
Machine made mineral fibre (MMMF) (except for ceramic refractory)	MDHS 59/2	5 mg/m³ & 2 fibres/ml		240		1000		8		GR + PCM	FLT/CL	225-54A	112 FLT 225-1913 88				
Magnesite (inhalable dust)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Magnesite (respirable dust)	MDHS 14/4	4 mg/m³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772				
Magnesium oxide (as Mg) (inhalable dust)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Magnesium oxide (as Mg) (respirable dust)	MDHS 14/4	4 mg/m³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772				
Malathion	OSHA 62	10 mg/m³		60		1000		1		GC-FPD	ST	226-30-16	38				
Maleic anhydride	MDHS 72	1 mg/m³	3 mg/m³	24		50		8		TD, GC	ST	226-357	42				
Manganese & inorganic compounds	MDHS 91/2	0.5 mg/m³		960		2000		8		XRF	IOM	225-70A	112 FLT 225-1930 88				
Manganese in welding fume	ISO 10882-1	0.5 mg/m³				750				GR	H/SET	225-6200	MINI CAL 225-6202				
Marble (total inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98				
Marble (total respirable)	MDHS 14/4	4 mg/m³		1056		2200		8		GR	CYC	225-69	114 FLT 225-58F or IOM 225-70A 112 FOAM 225-772				
Mercaptoacetic acid	OSHA CSI	1 ppm (3.8 mg/m³)		120		1000		2		HPLC-UV	IMP	225-36-1	65 IT 225-22 65				
Mercury & compounds (except alkyl compounds)	NIOSH 6009	0.02 mg/m³		48		200		4		AA	ST	226-17-1A	38 F/CST 225-3-01 89				
Methacrylic acid	OSHA PV2005	20 ppm (72 mg/m³)	40 ppm (143 mg/m³)	24		100		4		HPLC-UV	ST	226-30-08	38				
Methanethiol	OSHA 26	0.5 ppm (1 mg/m³)		20		200		100 mins		GC-FPD	F/CST	225-9007	100 C/HLD 225-1 106				
Methanol	MDHS 72	200 ppm (266 mg/m³)	250 ppm (333 mg/m³)	50		8				TD, GC	ST	226-358	42				
Methanol	MDHS 80	200 ppm (266 mg/m³)	250 ppm (333 mg/m³)	24		50		8		GC-ECD	ST	226-357	42				
Methanol	MDHS 96	200 ppm (266 mg/m³)	250 ppm (333 mg/m³)	5	3	20	200	4	15	GC-FID	ST	226-51	39				
2-Methoxyethanol	MDHS 72, 80	1 ppm (3 mg/m³)		24		50		8		TD, GC	ST	226-358	42				
2-Methoxyethanol	MDHS 88	1 ppm (3 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
2-Methoxyethanol	MDHS 96	1 ppm (3 mg/m³)		10		20		8		GC-FID	ST	226-01	38				
2-Methoxyethyl acetate	MDHS 72	1 ppm (5 mg/m³)		8		15		8		TD, GC	ST	226-37	39				
2-Methoxyethyl acetate	MDHS 88	1 ppm (5 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	or PS 575-001 69				
2-Methoxyethyl acetate	MDHS 96	1 ppm (5 mg/m³)		10	7.5	20	500	8	15	GC-FID	ST	226-01	38				
1-Methoxypropan-2-ol	MDHS 72	100 ppm (375 mg/m³)	150 ppm (560 mg/m³)							TD, GC	ST	226-357	42				
1-Methoxypropan-2-ol	MDHS 88	100 ppm (375 mg/m³)	150 ppm (560 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
1-Methoxypropyl acetate	MDHS 72	50 ppm (274 mg/m³)	100 ppm (548 mg/m³)							TD, GC	ST	226-358	38				
1-Methoxypropyl acetate	MDHS 88	50 ppm (274 mg/m³)	100 ppm (548 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69				
1-Methoxypropyl acetate	MDHS 96	50 ppm (274 mg/m³)	100 ppm (548 mg/m³)							GC-FID	ST	226-01	38				
Methyl acetate	MDHS 72, 80	200 ppm (616 mg/m³)	250 ppm (770 mg/m³)	24		50		8		TD, GC	ST	226-358	42				
Methyl acetate	MDHS 88	200 ppm (616 mg/m³)	250 ppm (770 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Methyl acetate	MDHS 96	200 ppm (616 mg/m³)	250 ppm (770 mg/m³)	5	3	20	200	4	15	GC-FID	ST	226-01	38				
Methyl acrylate	MDHS 72	5 ppm (18 mg/m³)	10 ppm (36 mg/m³)	24		50		8		TD, GC	ST	226-357	42				
Methyl acrylate	MDHS 88	5 ppm (18 mg/m³)	10 ppm (36 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69				
Methyl acrylate	MDHS 96	5 ppm (18 mg/m³)	10 ppm (36 mg/m³)	varies		varies		varies		GC-FID	ST	226-01	38				
Methyl cyanoacrylate	OSHA 55		0.3 ppm (1.4 mg/m³)	12	3	100	200	8	15	HPLC-UV	ST	226-98	40				

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.			
		WEL		Vol. (liter)		Rate (ml/min)		Time						
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)					
Methyl ethyl ketone peroxide (MEKP)	OSHA 77		0.2 ppm (1.5 mg/m³)		15		1000		15	HPLC-UV	ST	226-93	40	
Methyl isocyanate	OSHA 54		0.02 ppm	15		50		5		HPLC-FD	ST	NA SKC		
Methyl methacrylate	MDHS 72	50 ppm (208 mg/m³)	100 ppm (416 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
Methyl methacrylate	MDHS 80	50 ppm (208 mg/m³)	100 ppm (416 mg/m³)	25		50		8		GC-ECD	ST	226-115	40	
Methyl methacrylate	MDHS 88	50 ppm (208 mg/m³)	100 ppm (416 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69	
Methyl methacrylate	MDHS 96	50 ppm (208 mg/m³)	100 ppm (416 mg/m³)	5		20		4		GC-FID	ST	226-30-06	38	
1-Methyl-2-pyrrolidone	MDHS 72	25 ppm (103 mg/m³)	75 ppm (309 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
1-Methyl-2-pyrrolidone	MDHS 96	25 ppm (103 mg/m³)	75 ppm (309 mg/m³)	10		200		8		GC-FID	ST	226-01	38	
N-Methyl-2-pyrrolidone	MDHS 72, 80	10 ppm (40 mg/m³)	20 ppm (80 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
N-Methyl-2-pyrrolidone	MDHS 96	10 ppm (40 mg/m³)	20 ppm (80 mg/m³)	10		200		8		GC-FID	ST	226-01	38	
Methyl-tert-butyl-ether	MDHS 88	50 ppm (183.5 mg/m³)	100 ppm (367 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69	
Methyl-tert-butyl-ether	MDHS 96	50 ppm (183.5 mg/m³)	100 ppm (367 mg/m³)	96		200		8		GC-FID	ST	226-09	38	
Methacrylonitrile	OSHA 37	1 ppm (2.8 mg/m³)			20	200		100 mins		GC-NPD	ST	226-01	38	
N-Methylaniline	NIOSH 3511	0.5 ppm (2.2 mg/m³)		100		1000				GC-FID	IMP IT	225-36-2 or 225-22	65	
3-Methylbutan-1-ol	MDHS 88	100 ppm (366 mg/m³)	125 ppm (458 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69	
3-Methylbutan-1-ol	MDHS 96	100 ppm (366 mg/m³)	125 ppm (458 mg/m³)	10	3	20(50)	200	8(3.3)	15	GC-FID	ST	226-01	38	
Methylcyclohexanol	MDHS 88	50 ppm (237 mg/m³)	75 ppm (356 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69	
Methylcyclohexanol	MDHS 96	50 ppm (237 mg/m³)	75 ppm (356 mg/m³)	12		25		8		GC-FID	ST	226-01	38	
2-Methylcyclohexanone	MDHS 72, 80	50 ppm (233 mg/m³)	75 ppm (350 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
2-Methylcyclohexanone	MDHS 96	50 ppm (233 mg/m³)	75 ppm (350 mg/m³)	4		20		3.3		GC-FID	ST	226-01	38	
4,4-Methylenebis(orthochloroaniline) (MbOCA)	MDHS 75/2			200		500				HPLC	IOM F/CST	225-70A or 225-9004		
4,4'-Methylenedianiline (MDA)	MDHS 75/2	0.01 ppm (0.08 mg/m³)		200		2000			100 min	HPLC	IOM F/CST	225-70A or 225-9004		
5-Methylheptane-3-one	MDHS 88	10 ppm (53 mg/m³)	20 ppm (107 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001 or PS	575-002	
5-Methylheptane-3-one	MDHS 96	10 ppm (53 mg/m³)	20 ppm (107 mg/m³)	10	3	20	200	8	15	GC-FID	ST	226-01	38	
5-Methylhexan-2-one	MDHS 72	20 ppm (95 mg/m³)	100 ppm (475 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
5-Methylhexan-2-one	MDHS 88	20 ppm (95 mg/m³)	100 ppm (475 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69	
4-Methylpentan-2-ol	MDHS 88	25 ppm (106 mg/m³)	40 ppm (170 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69	
4-Methylpentan-2-ol	MDHS 96	25 ppm (106 mg/m³)	40 ppm (170 mg/m³)	10	3	20	200	8	15	GC-FID	ST	226-01	38	
4-Methylpentan-2-one	MDHS 72, 80	50 ppm (208 mg/m³)	100 ppm (416 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
4-Methylpentan-2-one	MDHS 88	50 ppm (208 mg/m³)	100 ppm (416 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69	
4-Methylpentan-2-one	MDHS 96	50 ppm (208 mg/m³)	100 ppm (416 mg/m³)	10	3	20	200	8	15	GC-FID	ST	226-01	38	
2-Methylpentane-2,4-diol	OSHA PV2101	25 ppm (123 mg/m³)	25 ppm (123 mg/m³)	3		200				GC-FID	ST	226-01	38	
2-Methylpropan-1-ol	MDHS 72	50 ppm (154 mg/m³)	75 ppm (231 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
2-Methylpropan-1-ol	MDHS 88	50 ppm (154 mg/m³)	75 ppm (231 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69	
2-Methylpropan-1-ol	MDHS 96	50 ppm (154 mg/m³)	75 ppm (231 mg/m³)	10		20(50)		8(3.3)		GC-FID	ST	226-01	38	
Mica (total inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT	
Mica (total respirable)	MDHS 14/4	0.8 mg/m³		1056		2200		8		GR	CYC IOM	225-69	114 FLT	
Molybdenum compounds (insoluble) (as Mo)	MDHS 91/2	10 mg/m³	20 mg/m³	240		1000		8		XRF	IOM	225-70A	112 FLT	
Molybdenum compounds (soluble) (as Mo)	MDHS 91/2	5 mg/m³	10mg/m³	240		1000		8		XRF	IOM	225-70A	112 FLT	
Monochloroacetic acid	NIOSH 2008	0.3 ppm (1.2 mg/m³)		48		100		8		IC-ECN	ST	226-47-01	39	
Nickel (insoluble compounds except nickel tetracarbonyl) (as Ni)	MDHS 91/2	0.5 mg/m³		960		2000		8		XRF	IOM	225-70A	112 FLT	
Nickel (soluble compounds except nickel tetracarbonyl) (as Ni)	MDHS 91/2	0.1 mg/m³		960		2000		8		XRF	IOM	225-70A	112 FLT	
Nicotine	MDHS 96	0.5 mg/m³	1.5 mg/m³	360		1000		6		GC-NPD	ST	226-30-04	38	
Nitric acid	NIOSH 7903		1 ppm (2.6 mg/m³)	48	3	200	200	4	15	IC	ST	226-10-03	38	
Nitrobenzene	MDHS 72	0.2 ppm (1 mg/m³)		24		50		8		TD, GC	ST	226-357	42	
Nitrobenzene	MDHS 96	0.2 ppm (1 mg/m³)		48		100		8		GC-FID	ST	226-10	38	
Nitrogen oxides	NIOSH 6014			1.5-6		25		1-4		VIS	ST	226-40	39	
Nitromethane	NIOSH 2527	100 ppm (254 mg/m³)	150 ppm (381 mg/m³)	2.4		20		2		GC-NSD	ST	226-111A	40	
2-Nitropropane	MDHS 96	5 ppm (19 mg/m³)				20		1.5		GC-FID	ST	226-110	40	
Nitrous oxide	MDHS 88	100 ppm (183 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	590-300	85 ST	
di-n-Octyl phthalate	OSHA 104			240		1000		4		GC-FID	ST	226-56	38	
Oil mist	MDHS 84/2			960	30	2000	2000	8	15	GR	IOM	225-70A	112 FLT	
Orthophosphoric acid	NIOSH 7903	1 mg/m³	2 mg/m³	48	3	200	200	4	15	IC	ST	226-10-03	38	
Orthotolidine	MDHS 75/2			200		500				HPLC	IOM ST	225-70A	112 FLT	
Osmium tetroxide (as Os)	MDHS 91/2	0.0002 ppm (0.002 mg/m³)	0.0006 ppm (0.006 mg/m³)	960		2000		8		XRF	IOM	225-70A	112 FLT	
Oxalic acid	OSHA PV2115	1 mg/m³	2 mg/m³	100		1000		100 mins		IC	FLT C/HLD	225-701	98 CST	
2,2'-Oxydiethanol	NIOSH 5523	23 ppm (101 mg/m³)		60		1000		1		GC-FID	ST	226-57	39	
Ozone	OSHA ID-214		0.2 ppm (0.4 mg/m³)	90		500		3		IC	CF/CST	225-9014	63 C/HLD 225-1	
Paracetamol (inhalable dust)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT	
Paraffin wax (fume)	OSHA PV2047	2 mg/m³	6 mg/m³	100		1000		100 mins		GC-FID	F/CST	225-706	98 C/HLD 225-1	

See page 212 for abbreviations.

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.					
		WEL		Vol. (liter)		Rate (ml/min)		Time								
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)		CYC	225-69	114	FLT	225-58F or	
Paraquat dichloride (ISO) (respirable dust)	MDHS 14/4	0.08 mg/m ³		1056		2200		8		GR	IOM	225-70A	112	FOAM	225-77Z	
Pentacarbonyliron (as Fe)	OSHA CSI	0.01 ppm (0.08 mg/m ³)		480	30	2000	2000	4	15	CLR	IMP	225-36-2	or	IMP	225-36-5 65	
Pentaerythritol (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	FLT	225-22	65			
Pentaerythritol (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200 (2000)		8		GR	CYC	225-69	114	FLT	225-58F or	
Pentan-2-one	MDHS 88	200 ppm (716 mg/m ³)	250 ppm (895 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69			
Pentan-2-one	MDHS 96	200 ppm (716 mg/m ³)	250 ppm (895 mg/m ³)	10		20(50)		8(3.3)		GC-FID	ST	226-01	38			
Pentan-3-one	MDHS 88	200 ppm (716 mg/m ³)	250 ppm (895 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69			
Pentane	MDHS 72, 80	600 ppm (1800 mg/m ³)		varies		varies		varies		TD, GC	ST	226-358	42			
Pentane	MDHS 88	600 ppm (1800 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69			
Pentane	MDHS 96	600 ppm (1800 mg/m ³)		varies		varies		varies		GC-FID	ST	226-01	38			
Pentyl acetates (all isomers)	MDHS 88	50 ppm (270 mg/m ³)	100 ppm (541 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69			
Pentyl acetates (all isomers)	MDHS 96	50 ppm (270 mg/m ³)	100 ppm (541 mg/m ³)	varies		varies		varies		GC-FID	ST	226-01	38			
Peroxodisulphate salts	MDHS 79/2			960	30	2000	2000	8	15	IC	IOM	225-70A	112	FLT	225-1930 88	
Phenol	MDHS 96	2 ppm (7.8 mg/m ³)	4 ppm (16 mg/m ³)	24	3	100	200	4	15	GC-FID	ST	226-95	40			
p-Phenyldiamine	OSHA 87	0.1 mg/m ³		100		1000		100 mins		HPLC-UV	CF/CST	225-9004	63	C/HLD	225-1 106	
2-Phenylpropene (alpha-methyl styrene)	MDHS 72	50 ppm (246 mg/m ³)	100 ppm (491 mg/m ³)	24		50		8		TD, GC	ST	226-357	42			
2-Phenylpropene (alpha-methyl styrene)	MDHS 88	50 ppm (246 mg/m ³)	100 ppm (491 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	or	PS	575-003	
2-Phenylpropene (alpha-methyl styrene)	MDHS 96	50 ppm (246 mg/m ³)	100 ppm (491 mg/m ³)	10	3	20	200	8	15	GC-FID	ST	226-01	38			
Phorate (ISO)	NIOSH 5600	0.05 mg/m ³	0.2 mg/m ³	240		1000		4		GC-FPD	ST	226-58	39			
Phosgene	OSHA 61	0.02 ppm (0.08 mg/m ³)	0.06 ppm (0.25 mg/m ³)	240		1000		4		GC-NPD	ST	226-117	40			
Phosphine	NIOSH 6002	0.1 ppm (0.14 mg/m ³)	0.2 ppm (0.28 mg/m ³)	12	3	100	200	2	15	UV-VAS	ST	226-165A	41			
Phosphorus pentachloride	OSHA CSI	0.1 ppm (0.87 mg/m ³)	0.2 ppm (2 mg/m ³)	48		200		4		CLR	F/CST	225-803	93	IMP	225-36-1 65	
Phosphorus trichloride	OSHA CSI	0.2 ppm (1.1 mg/m ³)	0.5 ppm (2.9 mg/m ³)	240		1000		4		IC	IMP	225-36-2	or	IMP	225-36-5 65	
Phosphorus yellow	OSHA CSI	0.1 mg/m ³	0.3 mg/m ³	96		200		8		GC-FPD	ST	226-35-03	39			
Phthalic anhydride	MDHS 62/2	4 mg/m ³	12 mg/m ³	960	30	2000	2000	8	15	HPLC	IOM	225-70A	112	FLT	225-58F 98	
Picloram (ISO)	OSHA PV2049	10 mg/m ³	20 mg/m ³	60		1000		1		GR	FLT	225-53-7-P	93	CST	225-3LF 99	
Picric acid	OSHA CSI	0.1 mg/m ³	0.3 mg/m ³	180		1500		2		HPLC-UV	IOM	225-70A	112	FLT	225-1930 88	
Piperazine	OSHA CSI	0.1 mg/m ³	0.3 mg/m ³	10		100		8		HPLC-UV	ST	226-30-18	38			
Piperazine dihydrochloride	MDHS 14/4	0.1 mg/m ³	0.3 mg/m ³	120		1000		8		GC-NPD	IOM	225-70A	112	FLT	225-58F 98	
Piperidine	OSHA CSI	1 ppm (3.5 mg/m ³)		6		200		30 mins		GC-FID	ST	226-01	38			
Plaster of Paris (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
Plaster of Paris (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200		8		GR	CYC	225-69	114	FLT	225-58F or IOM 225-70A 112 FOAM 225-77Z	
Polychlorinated biphenyls (PCB)	ASTM 4861	0.1 mg/m ³		960		2000		8		GC-ECD	PUF	226-124	41	PUF	226-92 40	
Polychlorinated biphenyls (PCB)	OSHA PV2088	0.1 mg/m ³		60		1000		1		GC-ECD	ST	226-30-16	38			
Polyvinylchloride (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
Polyvinylchloride (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200		8		GR	CYC	225-69	114	FLT	225-58F or IOM 225-70A 112 FOAM 225-77Z	
Portland cement (inhalable dust)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
Portland cement (respirable dust)	MDHS 14/4	4 mg/m ³		1056		2200		8		GR	CYC	225-69	114	FLT	225-58F or IOM 225-70A 112 FOAM 225-77Z	
Potassium hydroxide	MDHS 14/4		2 mg/m ³	10		2000		5		AA or AES	IOM	225-70A	112	FLT	225-1930 88	
Prop-2-yn-1-ol	OSHA 97	1 ppm (2.3 mg/m ³)	3 ppm (7 mg/m ³)	6		50		2		GC-ECD	ST	226-178	41			
Propan-1-ol	MDHS 72	200 ppm (500 mg/m ³)	250 ppm (625 mg/m ³)	24		50		8		TD, GC	ST	226-358	42			
Propan-1-ol	MDHS 72	200 ppm (500 mg/m ³)	250 ppm (625 mg/m ³)	24		50		8		TD, GC	ST	226-358	42			
Propan-1-ol	MDHS 88	200 ppm (500 mg/m ³)	250 ppm (625 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	or	PS	575-002 69	
Propan-1-ol	MDHS 88	200 ppm (500 mg/m ³)	250 ppm (625 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	or	PS	575-002 69	
Propan-1-ol	MDHS 96	200 ppm (500 mg/m ³)	250 ppm (625 mg/m ³)	varies		varies		varies		GC-FID	ST	226-01	38			
Propan-1-ol	MDHS 96	200 ppm (500 mg/m ³)	250 ppm (625 mg/m ³)	10	3	20(50)	200	8(3.3)	15	GC-FID	ST	226-01	38			
Propan-2-ol	MDHS 72	400 ppm (999 mg/m ³)	500 ppm (1250 mg/m ³)	24		50		8		TD, GC	ST	226-358	42			
Propan-2-ol	MDHS 88	400 ppm (999 mg/m ³)	500 ppm (1250 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-002	69			
Propan-2-ol	MDHS 96	400 ppm (999 mg/m ³)	500 ppm (1250 mg/m ³)	3	3	20	200	2.5	15	GC-FID	ST	226-01	38			
Propane-1,2-diol (particulates)	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
Propane-1,2-diol (total vapour & particulates)	OSHA PV2051	150 ppm (474 mg/m ³)		60	15	1000	1000	1	15	GC-FID	ST	226-57	39			
Propionic acid	OSHA CSI	10 ppm (31 mg/m ³)	15 ppm (46 mg/m ³)	10		20		8		GC-FID	ST	226-15	38			
Propoxur (ISO)	NIOSH 5601	0.5 mg/m ³	2 mg/m ³	240		1000		4		HPLC-UV	ST	226-58	or	ST	226-30-16 39	
Propranolol	MDHS 14/4	2 mg/m ³	6 mg/m ³	960		2000		8		GR	IOM	225-70A	112	FLT	225-58F 98	
n-Propyl acetate	MDHS 72	200 ppm (849 mg/m ³)	250 ppm (1060 mg/m ³)	24		50		8		TD, GC	ST	226-357	42			
n-Propyl acetate	MDHS 88	200 ppm (849 mg/m ³)	250 ppm (1060 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69			
n-Propyl acetate	MDHS 96	200 ppm (849 mg/m ³)	250 ppm (1060 mg/m ³)	10	3	20(50)	200	8(3.3)	15	GC-FID	ST	226-01	38			

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.			
		WEL		Vol. (liter)		Rate (ml/min)		Time						
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)					
Propylene oxide	MDHS 72	5 ppm (12 mg/m³)		24		50		8		TD, GC	ST	226-357	42	
Propylene oxide	MDHS 80, 88	5 ppm (12 mg/m³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69	
Propylene oxide	MDHS 96	5 ppm (12 mg/m³)		5		20		4.2		GC-FID	ST	226-01	38	
Pulverized fuel ash (inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98	
Pulverized fuel ash (respirable)	MDHS 14/4	4 mg/m³		1056		2200 (2000)		8		GR	CYC IOM	225-69 114 FLT 225-58F or 225-70A 112 FOAM 225-772 FLT 225-58F		
Pyrethrum	OSHA 70	1 mg/m³		60		1000		1		GC-ECD	ST	226-30-16	38	
Pyridine	MDHS 72	5 ppm (16 mg/m³)	10 ppm (33 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
Pyridine	MDHS 88	5 ppm (16 mg/m³)	10 ppm (33 mg/m³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69	
Pyridine	MDHS 96	5 ppm (16 mg/m³)	10 ppm (33 mg/m³)	40		100		8		GC-FID	ST	226-01	38	
2-Pyridylamine	OSHA PV2143	0.5 ppm (2 mg/m³)	2 ppm (7.8 mg/m³)	240		1000		4		GC-NPD	F/CST	225-9004		
Pyrocatechol	OSHA PV2014	5 ppm (23 mg/m³)		100		1000		100 mins		HPLC-UV	ST	226-57	39	
Refractory ceramic & special purpose fibres		5 mg/m³ (1 fibre/mm)		240		1000		8		PCM	FLT/CL	225-54A	112 FLT 225-1913 88	
Rhodium (metal fume & dust) as Rh	MDHS 91/2	0.1 mg/m³	0.3 mg/m³	960	30	2000	2000	8	15	XRF	IOM	225-70A	112 FLT 225-1930 88	
Rhodium (soluble salts) as Rh	MDHS 91/2	0.001 mg/m³	0.003 mg/m³	960	30	2000	2000	8	15	XRF	IOM	225-70A	112 FLT 225-1930 88	
Rosin-based solder flux fume	MDHS 83/3	0.05 mg/m³	0.15 mg/m³	960	30	2000	2000	8	15	GC-FID	CST (kit)	225-8050K	FLT 225-8050	
Rotenone (ISO)	NIOSH 5007	5 mg/m³	10 mg/m³	120		1000		2		HPLC-UV	FLT C/HLD	225-17-01 225-1	94 CST 106	
Rouge (total inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98	
Rouge (total respirable)	MDHS 14/4	4 mg/m³		1056		2200 (2000)		8		GR	CYC IOM	225-69 114 FLT 225-58F or 225-70A 112 FOAM 225-772 FLT 225-58F		
Rubber fume	MDHS 47/3	0.6 mg/m³		960	500	2000	2000	8		GR + SE	IOM	225-70A	112 FLT 225-58F 98	
Rubber process dust	MDHS 14/4	6 mg/m³		960	30	2000	2000	8	15	GR	IOM	225-70A	112 FLT 225-58F 98	
Selenium & compounds (except hydrogen selenide) (as Se)	MDHS 91/2	0.1 mg/m³		960		2000		8		XRF	IOM	225-70A	112 FLT 225-1930 88	
Silane		0.5 ppm (0.67 mg/m³)	1 ppm (1.3 mg/m³)	480		1000		4		AAS-GF	IMP IT	225-36-2 225-22	65 IMP 65	
Silica amorphous (inhalable dust)	MDHS 14/4	6 mg/m³		960	30	2000	2000	8	15	GR	IOM	225-70A	112 FLT 225-5-25 93	
Silica amorphous (respirable dust)	MDHS 14/4	2.4 mg/m³		1056	30	2200	2200/ 2000	8	15	GR	CYC IOM	225-69 114 FLT 225-5-25 93 225-70A 112 FOAM 225-772 FLT 225-5-25 93		
Silica fused (respirable dust)	MDHS 14/4	0.08 mg/m³		1056	33	2200	2200/ 2000	8	15	GR	CYC IOM	225-69 114 FLT 225-5-25 93 225-70A 112 FOAM 225-772 FLT 225-5-25 93		
Silica, crystalline (respirable)	MDHS 101	0.1 mg/m³		1056		2200 (2000)		8		IR / XRD	CYC IOM	225-69 114 FLT 225-5-25 93 225-70A 112 FOAM 225-772 FLT 225-5-25 93		
Silica, crystalline (respirable)	MDHS 14/4	0.1 mg/m³		1056		2200 (2000)		8		GR	CYC IOM	225-69 114 FLT 225-5-25 93 225-70A 112 FOAM 225-772 FLT 225-5-25 93		
Silicone carbide (not whiskers) (total inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98	
Silicone carbide (not whiskers) (total respirable)	MDHS 14/4	4 mg/m³		1056		2200		8		GR	CYC IOM	225-69 114 FLT 225-58F or 225-70A 112 FOAM 225-772 FLT 225-58F		
Silver (soluble compounds as Ag)	MDHS 91/2	0.01 mg/m³		960	30	2000	2000	8	15	XRF	IOM	225-70A	112 FLT 225-1930 88	
Silver, metallic	MDHS 91/2	0.1 mg/m³		240	60	2000	2000	0.5	2	XRF	IOM	225-70A	112 FLT 225-1930 88	
Sodium azide (as Na ₃ N)	OSHA ID-211	0.1 mg/m³	0.3 mg/m³		5		1000		5 min	IC-UV	ST C/HLD	226-55 225-2LF 225-1	39 SPC 106	
Sodium hydrogen sulphite	OSHA ID-121	5 mg/m³		960		2000		8		AA or AES	F/CST	225-3-01	89 C/HLD 225-1 106	
Sodium hydroxide	MDHS 14/4	2 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98	
Sodium-2-(2,4-dichlorophenoxy) ethyl sulphate	OSHA CSI	10 mg/m³	20 mg/m³	varies	varies	varies	varies			CLR	IOM	225-70A	112 FLT 225-1930 88	
Softwood dust	MDHS 14/4	5 mg/m³		960	30	2000	2000	8	15	GR	IOM	225-70A	112 FLT 225-58F 98	
Starch (respirable)	MDHS 14/4	4 mg/m³		1056		2200 (2000)		8		GR	CYC IOM	225-69 114 FLT 225-58F or 225-70A 112 FOAM 225-772 FLT 225-58F		
Starch (total inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98	
Styrene	MDHS 72, 80	100 ppm (430 mg/m³)	250 ppm (1080 mg/m³)	24		50		8		TD, GC	ST	226-357	42	
Styrene	MDHS 88	100 ppm (430 mg/m³)	250 ppm (1080 mg/m³)	diffusive	diffusive	diffusive	diffusive	8	15	GC-FID	PS	575-006	69	
Styrene	MDHS 96	100 ppm (430 mg/m³)	250 ppm (1080 mg/m³)	10	5	20(50)	330	8(3.3)	15	GC-FID	ST	226-01	38	
Subtilisins (Bacillus subtilis BPN & Carlsberg)	OSHA CSI	0.00004 mg/m³						Bulk		Bulk	Bulk			
Sucrose	MDHS 14/4	10 mg/m³	20 mg/m³	960		2000		8		GR	IOM	225-70A	112 FLT 225-58F 98	
Sulfotep (tetraethyl dithiopyrophosphate, TEPD)	OSHA CSI Σ	0.1 mg/m³		480		1000		100 mins		GC-FPD	ST	226-30-16	38	
Sulphuric acid	NIOSH 7903	0.05 mg/m³		48		200		4		IC	ST	226-10-03	38	
Sulphuric acid	OSHA 113	0.05 mg/m³		480		2000		4		IC	PPI IS	225-3861 225-388	FLT SP 225-5 93	

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.							
		WEL		Vol. (liter)		Rate (ml/min)		Time										
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)		ST	226-16	38					
Sulphuryl difluoride	NIOSH 6012	5 ppm (21 mg/m³)	10 ppm (42 mg/m³)	10		20		8		IC-ECN	ST	226-16	38					
Talc (respirable dust)	MDHS 14/4	1 mg/m³		1056	33	2200	2200	8	15	GR	CYC	225-69	114	FLT	225-58F or IOM 225-70A	112 FOAM	225-772	
Tantalum	MDHS 91/2	5 mg/m³	10 mg/m³	240	6	2000	2000	0.5	2	XRF	IOM	225-70A	112	FLT	225-1930	88		
Tellurium & compounds (except hydrogen telluride) as Te	MDHS 91/2	0.1 mg/m³		960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88		
Terphenyls (all isomers)	OSHA CSI		0.5 ppm (4.8 mg/m³)		8.5		1700		5	HPLC-FD	F/CST	225-709	98	C/HLD	225-1	106		
1,1,2,2-Tetrabromomethane	MDHS 96	0.5 ppm (7.2 mg/m³)		96		200		8		GC-FID	ST	226-10	38					
Tetracarbonylnickel	OSHA CSI		0.1 ppm (0.24 mg/m³)	480		1000		8		AA-GF	F/CST	225-709	98	C/HLD	225-1	106		
1,1,2,2-Tetrachloroethane	MDHS 88				diffusive	diffusive	diffusive	diffusive	8	15	GC-FID	PS	575-001	69				
1,1,2,2-Tetrachloroethane	MDHS 96			10	3	20	200	8	15	GC-FID	ST	226-01	38					
Tetrachloroethylene	MDHS 72, 80	50 ppm (345 mg/m³)	100 ppm (689 mg/m³)	24		50		8		TD, GC	ST	226-357	42					
Tetrachloroethylene	MDHS 88	50 ppm (345 mg/m³)	100 ppm (689 mg/m³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-002	69					
Tetrachloroethylene	MDHS 96	50 ppm (345 mg/m³)	100 ppm (689 mg/m³)	3		20		2.5		GC-FID	ST	226-01	38					
Tetrachlorophthalic anhydride	MDHS 62/2			240	7.5	500	500	8	15	HPLC	IOM	225-70A	112	FLT	225-58F	98		
Tetraethyl lead (as Pb)				960	120	2000	2000	8	60	AA	IOM	225-70A	112	FLT	225-1930	88		
Tetrahydrofuran	MDHS 88	50 ppm (150 mg/m³)	100 ppm (300 mg/m³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69					
Tetrahydrofuran	MDHS 96	50 ppm (150 mg/m³)	100 ppm (300 mg/m³)	9	1.5	20(50)	100	7(3)	15	GC-FID	ST	226-01	38					
Tetrasodium pyrophosphate	OSHA ID-111	5 mg/m³		960		2000		8		GR IC	FLT	225-5-37-P	93	CST	225-2LF	99		
Thallium (soluble compounds) (as Tl)	MDHS 91/2	0.1 mg/m³		960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88		
Thionyl chloride	OSHA CSI		1 ppm (4.9 mg/m³)		15		1000		15	IC	IMP	225-36-2	or	IMP	225-36-5	65		
Tin compounds (inorganic except SnH₄) (as Sn)	MDHS 91/2	2 mg/m³	4 mg/m³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88		
Tin compounds (organic except cyhexatin) (ISO) (as Sn)	NIOSH 5504	0.1 mg/m³	0.2 mg/m³	480		1000		8		HPLC AA-GF	ST	226-30	38	F/CST	225-706	98		
Titanium dioxide - respirable	MDHS 14/4	4 mg/m³		1056		2200 (2000)		8		GR	CYCL	225-69	114	FLT	225-58F	or IOM 225-70A	112 FOAM	225-772
Titanium dioxide (inhalable)	MDHS 14/4	10 mg/m³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F	98		
Toluene	MDHS 72	50 ppm (191 mg/m³)	100 ppm (384 mg/m³)	24		50		8		TD, GC	ST	226-357	42					
Toluene	MDHS 80	50 ppm (191 mg/m³)	100 ppm (384 mg/m³)	24		50		8		GC-ECD	ST	226-357	or	ST	226-358	42		
Toluene	MDHS 88	50 ppm (191 mg/m³)	100 ppm (384 mg/m³)		diffusive	diffusive	diffusive	diffusive	8	15	GC-FID	PS	575-001	69				
Toluene	MDHS 96	50 ppm (191 mg/m³)	100 ppm (384 mg/m³)	6	3	100	200	1	15	GC-FID	ST	226-01	38					
o-Toluidine	MDHS 75/2	0.2 ppm (0.89 mg/m³)		200		500				HPLC	IOM	225-70A	112	FLT	225-58F	98		
o-Toluidine	MDHS 96	0.2 ppm (0.89 mg/m³)			48		100		8	GC-FID	ST	226-10	38					
o-Toluidine	MDHS 96			48		100		8		GC-FID	ST	226-10	38					
Tri-o-tolyl phosphate	NIOSH 5037	0.1 mg/m³	0.3 mg/m³	90		1000		1.5		GC-FPD	F/CST	225-3-01	89	C/HLD	225-1	106		
Tributyl phosphate (all isomers)	NIOSH 5034	5 mg/m³	5 mg/m³	90		1500		1		GC-FPD	F/CST	225-3-01	89	C/HLD	225-1	106		
1,2,4-Trichlorobenzene	MDHS 80	1 ppm	5 ppm	varies		varies		varies		GC-ECD	FLT	225-17-03	94	ST	226-30-04	38		
1,1,1-Trichloroethane	MDHS 72, 80	100 ppm (555 mg/m³)	200 ppm (1110 mg/m³)	24		50		8		TD, GC	ST	226-358	42					
1,1,1-Trichloroethane	MDHS 88	100 ppm (555 mg/m³)	200 ppm (1110 mg/m³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69					
1,1,1-Trichloroethane	MDHS 96	100 ppm (555 mg/m³)	200 ppm (1110 mg/m³)	3		200		15		GC-FID	ST	226-01	38					
1,1,2-Trichloroethane	MDHS 72			24		50		8		TD, GC	ST	226-358	42					
1,1,2-Trichloroethane	MDHS 88				diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69					
1,1,2-Trichloroethane	MDHS 96			10	3	20	200	8	15	GC-FID	ST	226-01	38					
Trichloroethylene	MDHS 72, 80	100 ppm (550 mg/m³)	150 ppm (820 mg/m³)	24		50		8		TD, GC	ST	226-357	42					
Trichloroethylene	MDHS 88	100 ppm (550 mg/m³)	150 ppm (820 mg/m³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69					
Trichloroethylene	MDHS 96	100 ppm (550 mg/m³)	150 ppm (820 mg/m³)	10	3	20(50)	200	8(3.3)	15	GC-FID	ST	226-01	38					
Trichloronitromethane	OSHA PV2103	0.1 ppm (0.68 mg/m³)	0.3 ppm (2.1 mg/m³)	3		200		15 mins		GC-ECD	ST	226-93	40					
Triethylamine	OSHA PV2060	2 ppm (8 mg/m³)	4 ppm (17 mg/m³)	5	3	100	200	50	15	GC-FID	ST	226-98	40					
Triglycidyl isocyanurate (TGIC)	MDHS 85/2	0.1 mg/m³		960	30	2000	2000	8	15	HPLC	IOM	225-70A	112	FLT	225-58F	98		
Trimellitic anhydride	MDHS 62/2	0.04 mg/m³	0.12 mg/m³	240	7.5	500	500	8	15	HPLC	IOM	225-70A	112	FLT	225-58F	98		
Trimethylbenzenes (all isomers or mixtures)	MDHS 72, 80	25 ppm (125 mg/m³)		24		50		8		TD, GC	ST	226-357	42					
Trimethylbenzenes (all isomers or mixtures)	MDHS 88	25 ppm (125 mg/m³)			diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-001	69					
3,5,5-Trimethylcyclohex-2-enone	MDHS 72		5 ppm (29 mg/m³)	24		50		8		TD, GC	ST	226-357	42					
3,5,5-Trimethylcyclohex-2-enone	MDHS 88		5 ppm (29 mg/m³)		diffusive	diffusive	diffusive	diffusive		GC-FID	PS	575-002	69					
3,5,5-Trimethylcyclohex-2-enone	MDHS 96		5 ppm (29 mg/m³)	10		20(50)		8(3.3)		GC-FID	ST	226-01	38					
2,4,6-Trinitrotoluene	OSHA 44	0.5 mg/m³		60		1000		1		GC-TEA-EAP	ST	226-56	39					
Triphenyl phosphate	NIOSH 5038	3 mg/m³	6 mg/m³	240		1000		4		GC-FPD	F/CST	225-3-01	89	C/HLD	225-1	106		
Tungsten & insoluble compounds (as W) & others	MDHS 91/2	5 mg/m³	10 mg/m³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88		
Tungsten & soluble compounds (as W)	MDHS 91/2	1 mg/m³	3 mg/m³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88		
Turpentine	NIOSH 1551	100 ppm (566 mg/m³)	150 ppm (850 mg/m³)	10		20(50)		8(3.3)		GC-FID	ST	226-01	38					

See page 212 for abbreviations.

Sampling Guide — U.K. (H.S.E.)

www.skcinc.com for updates

Chemical Hazard	MDHS Method No.	SAMPLING								Analytical Method	SKC Collecting Equipment and Page No.					
		WEL		Vol. (liter)		Rate (ml/min)		Time								
		TWA (ppm)	STEL (ppm)	TWA	STEL	TWA	STEL	TWA (hr)	STEL (min)		IOM	225-70A	112	FLT	225-1930	88
Vanadium pentoxide	MDHS 91/2	0.05 mg/m ³		960		2000		8		XRF						
Vanadium pentoxide	NIOSH 7504	0.05 mg/m ³		600		2600		4		XRD	F/CST	225-803	CYC	225-01-02		
Vinyl chloride	MDHS 96	3 ppm (7.8 mg/m ³)		5		50		1.6		GC-FID	ST	226-01	38			
Vinylidene chloride	MDHS 88	10 ppm (40 mg/m ³)		diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69			
Vinylidene chloride	MDHS 96	10 ppm (40 mg/m ³)		5		20		4		GC-FID	ST	226-01	38			
Welding fume	ISO 10882-1					750				GR	H/SET	225-6200	MINI	225-6201		
Wood dust (inhalable)	MDHS 14/4			1056		2000		8		GR	IOM	225-70A	112	FLT	225-58F	98
Wood dust (respirable)	MDHS 14/4			1056		2200		8		GR	CYC	225-69	114	FLT	225-58F	or
											IOM	225-70A	112	FOAM	225-772	
											FLT	225-58F				
Wool process dust	MDHS 14/4	10 mg/m ³		960		2000		8		GR	IOM	225-70A	112	FLT	225-58F	98
Xylene (o-,m-,p-, or mixed isomers)	MDHS 72, 80	50 ppm (220 mg/m ³)	100 ppm (441 mg/m ³)	24		50		8		TD, GC	ST	226-357	42			
Xylene (o-,m-,p-, or mixed isomers)	MDHS 88	50 ppm (220 mg/m ³)	100 ppm (441 mg/m ³)	diffusive	diffusive	diffusive	diffusive			GC-FID	PS	575-001	69			
Xylene (o-,m-,p-, or mixed isomers)	MDHS 96	50 ppm (220 mg/m ³)	100 ppm (441 mg/m ³)	21	3	50	200	7	15	GC-FID	ST	226-01	38			
Yttrium	MDHS 91/2	1 mg/m ³	3 mg/m ³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88
Zinc chloride (fume)	MDHS 91/2	1 mg/m ³	2 mg/m ³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88
Zinc distearate (inhalable dust)	MDHS 91/2	10 mg/m ³	20 mg/m ³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88
Zinc distearate (respirable dust)	MDHS 91/2	4 mg/m ³		1056		2200 (2000)		8		XRF	CYC	225-69	114	FLT	225-1930	or
											IOM	225-70A	112	FOAM	225-772	
											FLT	225-1930				
Zinc oxide	MDHS 14/4			960		2000		8		GR	IOM	225-70A	112	FLT	225-58F	98
Zirconium compounds (as Zr)	MDHS 91/2	5 mg/m ³	10 mg/m ³	960		2000		8		XRF	IOM	225-70A	112	FLT	225-1930	88

✓ Use two Cat. No. 226-35 tubes.

† Filter requires coating.

¶ Use two Cat. No. 226-36 tubes.

£ The filter is not analysed.

§ Use Cat. No. 226-44-02 if RH 50% or greater.

Σ Contact HSE for more details on sampling and analysis.



See page 212 for abbreviations.